




BAG CLOSURE CATALOG CANADA



Produit du Canada / Product of Canada
Poireaux / Leeks
PLU 4829



BAG CLOSURES • CLOSURE-LABELS • DISPENSERS



TABLE OF CONTENTS

HAND APPLIED BAG CLOSURES

Series A & F:	Page 4
Series AM:	Page 5
Series W & W72:	Page 6

HAND APPLIED BAG CLOSURE-LABELS

Series C:	Page 7
Series MS:	Page 8
Series PS:	Page 9
Series P-100:	Page 10
Series T-210:	Page 11

BAG CLOSURES WITH DISPENSERS

Series AA, AB & FA:	Page 12
Series AD & AE:	Page 13
Series CA (Closure-Labels):	Page 14
Supermarket Bulk Foods Labels: (Series CB-1, CB-2, CB1-R, CB2-R, MS-B1, MS-B2, PS-B1, PS-B2):	Page 15
Series DJ:	Page 16
Series DV & DV-STK:	Page 17
Series JSRC:	Page 18

SEMI-AUTOMATIC BAG CLOSURES

Series R & S:	Page 19
Series RJ:	Page 20
Series RL & SL (including RLP & SLP):	Page 21
Series RLS & RLSP:	Page 22

SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series CR:	Page 23
Series L:	Page 24
Series U:	Page 26

AUTOMATIC BAG CLOSURES

Series J-NRP & K-NRP:	Page 27
Series JM-NRP, KM-NRP & KM57-NRP:	Page 28
Series V-NRP:	Page 29
Series Z-NRP:	Page 30
Series Z72-NRP:	Page 31

AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ:	Page 32
Series M:	Page 35
Series P, PF & P-200:	Page 36
Series PFM & PM-200:	Page 38
Series T, TF & T-220:	Page 40
Series TFM & TM-220:	Page 42

APPENDIX

Bag Closure-Label Information:	Pages 44-48
--------------------------------------	-------------

Pre-Printed Closure Information:

Series C & CA:	Page 49
Series CJ:	Page 50, 51
Series CFJ:	Page 52, 53
Series CR:	Page 54
Series L:	Page 55
Series M, MS:	Page 56
Series P:	Page 57
Series PF:	Page 58
Series PFM, PS:	Page 59
Series P-100:	Page 60
Series P-200:	Page 61
Series PM-200:	Page 62, 63
Series T:	Page 64, 65
Series TF:	Page 66, 67
Series TFM:	Page 68, 69
Series T-210:	Page 70
Series T-220:	Page 72, 73
Series TM-220:	Page 74, 75
Series U:	Page 76

Dispensers:

63-DJ and 64-DV Dispensers:	Page 77
68-DJ and 69-DV Dispensers:	Page 78
70-DJ and 71-DV Valance Dispenser:	Page 79
72 Bulk Dispenser Cup:	Page 80
76A and 76B Dispensers:	Page 81
814 Produce Dispenser Kit:	Page 83

Bag Sizing:	Page 85
Bag Sizing Charts (Lok Opening Sizes):	Page 86
Shipping Carton Dimensions:	Page 91
Terms, Warranty, Return Merchandise Policy:	Page 92



HAND APPLIED BAG CLOSURES

Series A and F

SERIES A is available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 lb. (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 500/strap, 10 straps per carton (0C-0006) 5M
..... 500/strap, 100 straps per carton (0C-0004) 50M
Minimum Order: 5,000
Approximate Shipping Weight:

..... 5M Packs: 7 Lbs (3.2 Kg)
..... 50M Packs: 67 Lbs (30.4 Kg)



SERIES F is available with the closure openings noted at the bottom of the page.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: For film bag opening: 350/strap, 10 straps per carton (0C-0006) 3.5M
..... 350/strap, 100 straps per carton (0C-0004) 35M
For net/film (loose pack) bag opening: 10,500 (0C-0129) or 17,500 (0C-0004)
Minimum Order: For film bag opening: 10,500
For net bag opening: 10,500

Approximate Shipping Weight:

For film bag opening: 3.5 M Packs: 6 Lbs (2.7 Kg), 35M Packs: 64 Lbs (29 Kg)
For net/film (loose pack) bag opening: 10.5M Packs: 21 Lbs (9.5 Kg)
..... 17.5M Packs: 34 Lbs (15.4 Kg)

Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long



***Heavy duty closure is recommended
for net bag openings.**



HAND APPLIED BAG CLOSURES

Series AM



MEDIUM DUTY CLOSURES
UP TO 5 lb. (2.3 kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES AM is manufactured with lok openings at both ends of the closure and is available with the closure openings noted at the bottom of the page.


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multi-colored packs are not available)

Packaged: 500/metal strap, 10 per carton (0C-0006) 5M
..... 500/metal strap, 100 per carton (0C-0004) 50M

Minimum Order: 5,000

Approximate Shipping Weight: ...5 M Packs: 7.5 Lbs (3.4 Kg), 50M Packs: 67 Lbs (30.4 Kg)

Size.....27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long





HAND APPLIED BAG CLOSURES

Series W and W72



HEAVY DUTY CLOSURES
UP TO 15LB (6.8 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)



EXTRA HEAVY DUTY
CLOSURES
UP TO 25LB (11.3 Kg)
CONTENT WEIGHT

0.072"
(0.183 cm)


SERIES W is available with the closure openings noted at the bottom of the page.

Closure Colors available: **Red, White and Green**
(Multi-colored packs are not available)
Packaged: 2,000 pack, 5 packs per carton (0C-0522) 10M
Minimum Order: 10,000
Approximate Shipping Weight: 10M packs: 32 Lbs (14.5 Kg)

SERIES W72 is available with the closure openings noted at the bottom of the page.

Closure Colors available: **Red, White and Green**
Packaged: Loose, (0C-0004) 6M
Minimum Order: 6,000
Approximate Shipping Weight: 6M packs: 32 Lbs (14.5 Kg)

Size.....1-3/8" (3.49 cm) wide x 1-11/16" (4.29 cm) long





HAND APPLIED BAG CLOSURE-LABELS

Series C



SERIES C closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

Corner shape of the label may be square or have rounded corners. Three round corner options are available: (See Appendix)

- 1). All four corners rounded to a 3/8" (0.95 cm) radius
- 2). Top two corners rounded to an 11/16" (1.75 cm) radius
- 3). Top two corners rounded to 11/16" (1.75 cm) radius and bottom two rounded to a 3/8" (0.95 cm) radius.



Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 20 straps per carton (0C-0007) 10M

Minimum Order: 10,000

Approximate Shipping Weight: 10M packs: 28 Lbs (12.8 Kg)



Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 20 straps per carton (0C-0007) 7M


Minimum Order: 14,000

Approximate Shipping Weight: 7M packs: 19 Lbs (8.6 Kg)

Packaged - NET BAG: Loose/3,000 per carton (0C-0719)

Minimum Order: 14,000

Approximate Shipping Weight - NET BAG: 3M packs : 9 Lbs (4.1 Kg)



***Heavy duty plastic is recommended for net bag openings.**




HAND APPLIED BAG CLOSURE-LABELS

Series MS



SERIES MS closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)


Label Size..... 7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: Loose or 1,000/bag, 8,000 per carton (0C-0129)
..... 26,000 per carton (0C-0522)

Minimum Order: 26,000

Approximate Shipping Weight: ... 8M packs: 12 Lbs (5.4 Kg), 26M packs: 30 Lbs. (13.6 Kg)



*Heavy duty plastic recommended for net bag openings.

RB-2 designed for
rubber bands.



HAND APPLIED BAG CLOSURE-LABELS

Series PS



SERIES PS closure-labels can be printed in any number of colors on one or both sides. They are available with the closure openings noted at the bottom of the page. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material.



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: Loose, 7,000 per carton (0C-0129)

..... 21,000 per carton (0C-0522)

Minimum Order: 42,000

Approx. Shipping Weight: 7M packs: 13 Lbs (5.9 Kg), 21M packs: 32 Lbs (14.5 Kg)



*Heavy duty plastic recommended for net bag openings.

RB-2 designed for
rubber bands.



HAND APPLIED BAG CLOSURE-LABELS

Series P-100



P-100: Front Printed by 884 Thermal Printer



P-100: Back - Custom printed at factory

SERIES P-100 closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The P-100 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. They are available with the closure openings noted at the bottom of the page. Labels are available in LEFT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.



MEDIUM DUTY CLOSURES
Up to 5 Lbs. (2.3 kg)

0.030"
(0.076 cm)

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 2,000 per roll, 8 rolls per carton (OC-0203) 16M

Minimum Order: 48,000 (3 cartons)

Approximate Shipping Weight: 16M packs: 30 Lbs (13.6 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS. (4.5 KG)

0.045"
(0.114 cm)

Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,500 per roll, 8 rolls per carton (OC-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approximate Shipping Weight: 12M packs: 34 Lbs (15.4 Kg)



***Heavy duty plastic recommended for net bag openings.**



HAND APPLIED BAG CLOSURE-LABELS

Series T-210



SERIES T-210 closure-labels are designed to be printed with Kwik Lok's 884 Thermal Printer. The printer can print bar codes, and other label variables. The T-210 and 884 Printer allow the packager to print their own labels. The back of the label can be preprinted at a Kwik Lok plant with custom graphics. Labels can be printed on our standard C1S Tagboard or a synthetic label material. Series T-210 Closure-Labels are available with the closure openings noted at the bottom of the page. Labels are available in RIGHT HAND ONLY.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated by Kwik Lok's optional 888A Separator unit that removes the labels from the rolls.

Label Size **2 3/4" (6.99 cm) wide x 2 3/4" (6.99 cm) long**



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 1,500 per roll, 8 rolls per carton (0C-0203) 12M
Minimum Order: 48,000 (4 cartons)
Approximate Shipping Weight: 12M packs: 45 Lbs (20.4 Kg)



HEAVY DUTY CLOSURES
UP TO 10LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 1,250 per roll, 8 rolls per carton (0C-0203) 10M
Minimum Order: 50,000 (5 cartons)
Approximate Shipping Weight: 10M packs: 52 Lbs (23.6 Kg)



***Heavy duty plastic recommended for net bag openings.**

RB-2 designed for rubber bands.



HAND APPLIED BAG CLOSURES used w/814 Dispenser

Series AA, AB & FA

Series AA and Series AB are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

SERIES AA is available with the closure opening #0 only.

Closure Colors available: **Orange**
Packaged: 250 per rod, 20 rods per carton (0C-0233) 5M
Minimum Order: 5,000
Approximate Shipping Weight: 5M Packs: 7.5 Lbs (3.4 Kg)



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES AB is available with the closure openings listed below.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 250 per rod, 20 rods per carton (0C-0233) 5M
Minimum Order: 5,000
Approximate Shipping Weight: 5M Packs: 7.5 Lbs (3.4 Kg)




HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES FA is available with the closure openings listed below.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 175 per rod, 20 rods per carton (0C-0233) 3.5M
Minimum Order: 10,500 (3 cartons)
Approximate Shipping Weight: 3.5M Packs: 7.5 Lbs (3.4 Kg)

Size 27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long



814 Kwik Lok Dispenser

SEE APPENDIX FOR 814 DISPENSER INFORMATION




HAND APPLIED BAG CLOSURES used w/814 Dispenser

Series AD & AE

Series AD and Series AE are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser. They are manufactured with lok openings at each end of the closure. This design allows the packager to use one closure for a wider range of bag sizes.

SERIES AD is available with the closure opening #0-2 only.





Closure Colors available:**Orange**
Packaged:250 per rod, 20 rods per carton (0C-0233) 5M
Minimum Order:5,000
Approximate Shipping Weight:5M Packs: 7.5 Lbs (3.4 Kg)

SERIES AE is available with the closure openings listed below.

Closure Colors available:**Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multi-colored packs are not available)
Packaged:250 per rod, 20 rods per carton (0C-0233) 5M
Minimum Order:5,000
Approximate Shipping Weight:5M Packs: 7.5 Lbs (3.4 Kg)

Size27/32" (2.14 cm) wide x 1-3/8" (3.49 cm) long



SEE APPENDIX FOR 814 DISPENSER INFORMATION



HAND APPLIED BAG CLOSURES used w/814 Dispenser

Series CA Closure-Labels



SEE APPENDIX FOR 814 DISPENSER INFORMATION



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

SERIES CA closure-labels are designed to be used with Kwik Lok's 814 Dispenser. The closures are packaged on steel rods for mounting in the dispenser.

They are available with the closure openings noted at the bottom of the page.

The closure-labels have the top two corners rounded to a 11/16" (1.76 cm) radius.

SEE APPENDIX FOR ADDITIONAL CLOSURE LABEL PRINTING INFORMATION.


Label Size1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 175 per rod, 12 rods per carton (0C-0719) 2.1M

Minimum Order: 10,500 (5 cartons)

Approximate Shipping Weight: 2.1M Packs: 13 Lbs (5.9 Kg)





CLOSURE-LABELS FOR BULK FOOD LABELS

GENERAL INFORMATION

Kwik Lok Corporation manufactures three sizes of closure-labels for supermarket bulk food sections. These labels permit the shopper to close the bag and mark bin numbers on the package.

The Kwik Lok bag closure gives the shopper a convenient and easy method of closing the bag. The label area permits easy marking of the bin number and assures legibility at the check-out stand.

The labels can be custom printed with bar codes, store logos, slogans or other copy and graphics. Contact us for pricing and information regarding custom printed labels.

LOK OPENING SIZES

Bulk food closures are supplied in either of two opening sizes which will accommodate most bulk food bags.

CLOSURE SPECIFICATIONS

Label Sizes: SERIES CB: 1-15/16" wide by 2-1/4" long (4.92 cm x 5.72 cm)

SERIES CB-1: Blank labels

SERIES CB-2: Preprinted (PLEASE MARK BIN NUMBER BELOW)

SERIES CB1-R: Blank labels - packed on rods for 814 Dispenser

SERIES CB2-R: Preprinted (PLEASE MARK BIN NUMBER BELOW) -
packed on rods for 814 Dispenser

SERIES MS: 7/8" wide by 1-3/8" long (2.22 cm x 3.49 cm)

SERIES MS-B1: Blank labels

SERIES MS-B2: Preprinted (MARK BIN NO. BELOW)

SERIES PS: 7/8" wide by 2-3/4" long (2.22 cm x 6.99 cm)

SERIES PS-B1: Blank labels

SERIES PS-B2: Preprinted (PLEASE MARK BIN NUMBER BELOW)

Label Material: C1S tagboard (10 pt, white)


PACKAGE SPECIFICATIONS

SERIES CB-1&CB-2: See Series C, Medium Duty Closures for packaging information and minimum quantities.

SERIES CB1-R & CB2-R: See Series CA, Medium Duty Closures for packaging information and minimum quantities.

SERIES MS-B1 AND MS-B2: See Series MS, Medium Duty Closures for packaging information and minimum quantities.

SERIES PS-B1 AND PS-B2: See Series PS, Medium Duty Closures for packaging information and minimum quantities.





HAND APPLIED BAG CLOSURES used with Dispensers

Series DJ

SERIES DJ were designed for use in either the Type 63-DJ, 68-DJ or 70-DJ Dispensers. (See Appendix for additional dispenser information.) The closure is available with the closure openings listed below.



MEDIUM DUTY CLOSURES
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,000 per roll, 10 rolls per carton (0C-0906) 10M

Minimum Order: 10,000

Approximate Shipping Weight: 10M Packs: 9 Lbs (4.1 Kg)

Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long



TYPE 63-DJ DISPENSER
(68-DJ & 70-DJ not shown)



HAND APPLIED BAG CLOSURES used with Dispensers

Series DV & DV-STK

SERIES DV and **DV-STK** were designed for use in either the Type 64-DV, 69-DV or 71-DV Dispensers. (See Appendix for additional dispenser information.)

SERIES DV is available with the closure openings listed below.

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,250 per roll, 10 rolls per carton (0C-0906) 12.5M

Minimum Order: 12,500

Approximate Shipping Weight: 12.5 M Packs: 9 Lbs (4.1 Kg)



MEDIUM DUTY CLOSURES
UP TO 3 LBS 1.4 Kg
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES DV-STK is available with the closure opening GP-1 only.


Closure Colors available: **Orange and Green**
(Multi-colored packs are not available)

Packaged: 1,250 per roll, 10 rolls per carton (0C-0906) (12.5M)

Minimum Order: 12,500

Approximate Shipping Weight: 12.5 M Packs: 9 Lbs (4.1 Kg)

Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long



TYPE 64-DV DISPENSER
(69-DV & 71-DV not shown)



HAND APPLIED BAG CLOSURES

Series JSRC Dispenser

SERIES JSRC is packed loose in a carton dispenser. The carton has a pull-down opening allowing the loose closures to be individually used in a manual bag closing application. Closures dispensed from the carton offer an inexpensive, practical way of offering the preferred Kwik Lok® on bagged packages. The closure is available with the closure openings shown below.



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT


0.030"
(0.076 cm)

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Dispenser Carton Size: 8-1/2" x 8-1/2" x 4-1/2" (21.6 cm x 21.6 cm x 11.4 cm)
Packaged: Loose, 4,000 per dispenser, 6 dispensers per carton (0C-0004) 24M
Minimum Order: 24,000
Approximate Shipping Weight: 24M Packs: 22 Lbs (10 Kg)

Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long

TGR-2

TGR-3





SEMI-AUTOMATIC BAG CLOSURES

Series R & S

SERIES R striploks are available with the closure openings noted at the bottom of the page.



MEDIUM DUTY CLOSURES
UP TO 5 LBS 2.3 Kg
CONTENT WEIGHT

For bag closing machines:086 and 1002
Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: Rolls of 3,000, 6 rolls per carton (0C-0129) 18M
..... Rolls of 3,000, 15 rolls per carton (0C-0522) 45M
Minimum Order: 18,000
Approximate Shipping Weight: 18M Packs: 19 Lbs (8.6 Kg)
..... 45M Packs: 44 Lbs (20.0 Kg)




HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

SERIES S striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines:086 and 1002
Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: Rolls of 2,200, 6 rolls per carton (0C-0129) 13.2M
..... Rolls of 2,200, 15 rolls per carton (0C-0522) 33M
Minimum Order: 13,200
Approximate Shipping Weight: 13.2M Packs: 20 Lbs (9.1 Kg)
..... 33M Packs: 43 Lbs (19.5 Kg)

Size..... 27/32" (2.14 cm) wide x 1" (2.54 cm) long



***Heavy duty plastic is recommended for net bag openings.**



SEMI-AUTOMATIC BAG CLOSURES

Series RJ



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES RJ closures are available with the closure openings noted at the bottom of the page.

For bag closing machines: 086 and 1003


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multiple colors can be packaged in each carton, 5 rolls per color minimum [7.5M])

Packaged: 1,500 roll, 10 rolls per carton (0C-0733) 15M

Minimum Order: 15,000

Approximate Shipping Weight: 15M packs: 16 Lbs (7.3 Kg)


Size..... 27/32" (2.14 cm) wide x 57/64" (2.26 cm) long





SEMI-AUTOMATIC BAG CLOSURES

Series RL & SL (Including Series RLP & SLP)



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
0.076 cm)

SERIES RL is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

SERIES RLP is identical to Series RL, except the label is preprinted with the words "SELL BY".

For bag closing machines: 086 and 1002
Closure Colors available: Red, White, Blue, Orange, Yellow, Green, Pink and Tan (Multi-colored packs are not available)
Packaged: 2,500/roll, 6 rolls per carton (OC-0129) 15M
Minimum Order: 15,000
Approximate Shipping Weight: 15M Pack: 16 Lbs (7.3 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
0.114 cm)


SERIES SL is available with the closure openings noted at the bottom of the page.

SERIES SLP is preprinted with the words "SELL BY".

For bag closing machines: 086 and 1002
Closure Colors available: Red, White, Blue, Orange, Yellow, Green, Pink and Tan (Multi-colored packs are not available)
Packaged: 1,850/roll, 6 rolls per carton (OC-0129) 11.1M
Minimum Order: 11,100
Approximate Shipping Weight: 11.1M Pack: 17 Lbs (7.7 Kg)

Size..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

Label Dimensions..... 3/8" (0.96 cm) x 3/4" (1.91 cm)




*Heavy duty plastic recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURES

Series RLS & RLSP



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
0.076 cm)


SERIES RLS is manufactured with a small white label affixed to the closure. The label is absorbant, allowing the closure to be printed with price, date, codes or other information. It is available with the closure openings noted at the bottom of the page.

SERIES RLSP is identical to Series RLS, except the label is preprinted with the words "SELL BY".

For bag closing machines:1003
Closure Colors available:**Red, White, Blue, Orange, Yellow, Green,**
.....**Pink and Tan** (Multi-colored packs are not available)
Packaged: 1,250/roll, 10 rolls per carton (OC-0733) 12.5M
Minimum Order:12,500
Approximate Shipping Weight:12.5M Pack: 13 Lbs (5.9 Kg)

Size..... 27/32" (2.14 cm) wide x 1" (2.54cm) long

Label Dimensions.....3/8" (0.96 cm) x 3/4" (1.91 cm)





SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series CR

SERIES CR closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Corner shape of the label may be square or have rounded corners. Two round corner options are available.

- 1) All four corners rounded to a 3/8" (0.95 cm) radius.
- 2) Top two corners rounded to a 3/8" (0.95 cm) radius.

For bag closing machine:086

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
 **Pink and Tan** (Multi-colored packs are not available)
 Packaged: 1,000/roll, 14 rolls per carton (OC-0204) 14M
 Minimum Order: 14,000
 Approximate Shipping Weight: 14M Pack: 35 Lbs (15.9 Kg)

Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
 **Pink and Tan** (Multi-colored packs are not available)
 Packaged: 1,100/roll, 13 rolls per carton (OC-0203) 14.3M
 Minimum Order: 14,300
 Approximate Shipping Weight: 14.3M Pack: 42 Lbs (19.0 Kg)




MEDIUM DUTY CLOSURES
 UP TO 5 LBS (2.3 Kg)
 CONTENT WEIGHT

0.030"
 (0.076 cm)



HEAVY DUTY CLOSURES
 UP TO 10 LBS (4.5 Kg)
 CONTENT WEIGHT

0.045"
 (0.114 cm)



*Heavy duty plastic recommended for net bag openings.



SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series L



SERIES L closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: 082 and 086

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,100/roll, 27 rolls per carton (0C-0203) 29.7M

Minimum Order: 29,700

Approximate Shipping Weight: 29.7M Pack: 52 Lbs (23.6 Kg)

Heavy Duty:




Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,000/roll, 27 rolls per carton (0C-0203) 27M

Minimum Order: 27,000

Approximate Shipping Weight: 27M Pack: 60 Lbs (27.2 Kg)



Designed for
Rubber Bands

***Heavy duty plastic recommended for net bag openings.**

©2019 KWIK LOK CORPORATION - ALL RIGHTS RESERVED

Kwik Lok® and Striplok® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.



SEMIAUTOMATIC BAG CLOSURE-LABELS

Series L



The standard Series L closure-label is printed on coated one-side tagboard. The front of the label is printed on the coated side. The coated side will permit the printing of brighter colors and sharp color illustrations.



Labels that will be printed with a printer mounted on the bag closing machine must be printed with the front on the uncoated side of the tagboard. This permits the ink to absorb into the material and prevents ink smears.

Uncoated papers are absorbent, so inks, varnishes and coatings perform differently than on coated papers. It is generally not a good idea to print four-color illustrations on the uncoated side of our tagboard.



SEMI-AUTOMATIC BAG CLOSURE-LABELS

Series U



SERIES U closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

For bag closing machines: 086

Corner shape of the label may be square or have all corners rounded to a 3/8" radius.

Label Size 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,100/roll, 9 rolls/carton (0C-0203) 9.9M

Minimum Order: 9,900

Approximate Shipping Weight: 9.9M Packs: 34 Lbs (15.4 Kg)



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)




Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,000/roll, 9 rolls/carton (0C-0203) 9M

Minimum Order: 9,000

Approximate Shipping Weight: 9M Packs; 40 Lbs (18.1 Kg)



*Heavy duty plastic recommended for net bag openings.



AUTOMATIC BAG CLOSURES

Series J-NRP & K-NRP

SERIES J-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines: 087, 088, 865, 872XLS, 872XLS LM and 893
For the Closure (Auto) Printer-Separator:898



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged:5,000/roll, 10 rolls per carton (0C-1983C) 50M
Minimum Order:50,000
Approximate Shipping Weight:50M Pack: 39 Lbs (17.7 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT


0.045"
(0.114 cm)

SERIES K-NRP striplok is identical to the J-NRP design, but manufactured with a heavy duty thickness. It is available with the closure openings noted at the bottom of the page.

For bag closing machines: 087, 088, 865, 872XLS and 872XLS LM
For the Closure (Auto)Printer-Separator:898

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)
Packaged: 2,500/roll, 15 rolls per carton (0C-0522) 37.5M
Minimum Order:37,500
Approximate Shipping Weight:37.5M Pack: 42 Lbs (19.1 Kg)

Size..... 27/32" (2.14 cm) wide x 7/8" (2.22 cm) long



***Heavy duty plastic is recommended for net bag openings.**



AUTOMATIC BAG CLOSURES

Series JM-NRP, KM-NRP & KM57-NRP



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES JM-NRP Striploks are available with the closure openings noted at the bottom of the page.

For bag closing machines:087, 088, 865, 872XLS and 893

For the Closure (Auto)Printer-Separator:..... 898

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink and Tan** (Multi-colored packs are not available)

Packaged: Rolls of 4,000, 10 rolls per carton (0C-0522)

Minimum Order: 40,000

Approximate Shipping Weight: 40M Packs: 44 Lbs (20.0 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES KM-NRP Striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines:087, 088, 865 and 872XLS

For the Closure (Auto)Printer-Separator:..... 898

Closure Colors available: **White**

Packaged: Rolls of 2,500, 10 rolls per carton (0C-0522)

Minimum Order: 25,000

Approximate Shipping Weight: 25M Packs: 40 Lbs (18.1 Kg)



HEAVY DUTY PLUS CLOSURES
UP TO 20 LBS (9.1 Kg)
CONTENT WEIGHT

0.057"
(0.145 cm)

SERIES KM57-NRP Striploks are available with the closure openings noted at the bottom of the page.

For Bag Closing Machines: 865

For the Closure (Auto)Printer-Separator:..... 898


Closure Colors available: **White**

Packaged: Rolls of 2,200, 10 rolls per carton (0C-0522)

Minimum Order: 22,000

Approximate Shipping Weight: 22M Packs: 42 Lbs (19.1 Kg)

Size..... 7/8" (2.22 cm) wide x 1-5/16" (3.33 cm) long





AUTOMATIC BAG CLOSURES

Series V-NRP

SERIES V-NRP is available with the closure openings noted at the bottom of the page.




MEDIUM DUTY CLOSURES
UP TO 3 Lbs (1.4 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

For bag closing machines: 872XLS

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green, Pink**
..... and **Tan** (Multi-colored packs are not available)
Packaged:.....Rolls of 5,000, 15 rolls per carton (0C-0522) 75M
Minimum Order:.....75,000
Approximate Shipping Weight:.....75M Packs: 48 Lbs (21.8 Kg)

Size..... 11/16" (1.75 cm) wide x 27/32" (2.14 cm) long





AUTOMATIC BAG CLOSURES

Series Z-NRP



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES Z-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines: 865 and 872XLS


Closure Colors available: **Red, White, and Green**
..... (Multi-colored packs are not available)

Packaged: 2,100/roll, 8 rolls per carton (0C-0522) 16.8M

Minimum Order: 16,800

Approximate Shipping Weight: 16.8M Pack: 56 Lbs (25.4 Kg)

Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long



©2019 KWIK LOK CORPORATION - ALL RIGHTS RESERVED

Kwik Lok® and Striplok® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.



AUTOMATIC BAG CLOSURES

Series Z72-NRP

SERIES Z72-NRP is available with the closure openings noted at the bottom of the page.

For bag closing machines:865

Closure Colors available:**Red, White, and Green**

Packaged: 1,050/roll, 8 rolls per carton (0C-0522) 8.4M

Minimum Order:8,400


Approximate Shipping Weight:8.4M Pack: 45 Lbs (20.4 Kg)



EXTRA HEAVY DUTY CLOSURES
UP TO 25 LBS (11.3 Kg)
CONTENT WEIGHT

0.072"
(0.183 cm)

Size.....1-11/64" (2.98 cm) wide x 1-11/16" (4.29 cm) long






AUTOMATIC BAG CLOSURE-LABELS

Series CJ & CFJ

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

SERIES CJ CLOSURE-LABELS - The closure is glued to the back of the label.



FRONT




BACK

SERIES CFJ CLOSURE-LABELS - The closure is glued to the front of the label



FRONT



BACK



AUTOMATIC BAG CLOSURES-LABELS

Series CJ & CFJ

SERIES CJ and **CFJ** closure-labels are custom printed in any number of colors on both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

SERIES CJ for bag closing machines: 872XLS LM

SERIES CFJ for bag closing machines:087, 088, 865, 872XLS LM and 893

Medium Duty:

Closure Colors available:

Red, White, Blue, Orange, Yellow, Green,

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,500/roll, 10 rolls per carton (0C-0203) 15M

Minimum Order: 45,000 (3 cartons)

Approximate Shipping Weight:15M Pack: 29 Lbs (13.2 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

SERIES CJ for bag closing machines: 872XLS LM

SERIES CFJ for bag closing machines:087, 088, 865 and 872XLS LM

Heavy Duty:

Closure Colors available:


Red, White, Blue, Orange, Yellow, Green,

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,300/roll, 10 rolls per carton (0C-0203) 13M

Minimum Order: 52,000 (4 cartons)

Approximate Shipping Weight:13M Pack: 34 Lbs (15.4 Kg)



***Heavy duty plastic recommended for net bag openings.**

Kwik Lok® designed for the consumer

EASY TO OPEN... EASY TO CLOSE... EASY TO READ

TO OPEN



TO CLOSE



A Kwik Lok package is easy to open, no confusing twisted wire to unravel. The all-plastic Kwik Lok closure snaps off in a quick simple motion. Reclosing the bag is just as easy and that makes your package consumer friendly. Your product and its package are important. Why not use the best closure available?

Consumers are increasingly looking for package information such as “Sell By”, unit price, etc. Kwik Lok allows you to print this information right on the closure. It is always in the same place and easy to read. Information that is overprinted on the bag graphics can be hard to locate and read.

Kwik Lok®

BAG CLOSING

BAG CODING

CONVENIENT PACKAGE



AUTOMATIC BAG CLOSURE-LABELS

Series M



SERIES M closure-labels can be printed in any number of colors on one or both sides. The label can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

SERIES M for bag closing machines:.....872XLS LM

Label Size..... 7/8" (2.22 cm) wide x 1-3/8" (3.49 cm) long



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 2,000/roll, 13 rolls per carton (0C-0203) 26M

Minimum Order: 26,000

Approximate Shipping Weight: 26M packs: 30 Lbs. (13.6 Kg)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Heavy Duty:


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,500/roll, 13 rolls per carton (0C-0203) 19.5M

Minimum Order: 39,000 (2 cartons)

Approximate Shipping Weight: 19.5M packs: 30 Lbs. (13.6 Kg)



*Heavy duty plastic recommended for net bag openings.



AUTOMATIC BAG CLOSURE-LABELS

Series P, PF & P-200

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

SERIES P CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the back of the label.

SERIES PF CLOSURE-LABELS



The label can be custom printed on both sides. The closure is glued to the front of the label.

SERIES P-200 CLOSURE-LABELS



Custom Printed Front

Back Printed by 884 Thermal Printer

Series P-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled, and can be used in appropriate Kwik Lok Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

The 884 Print Area is 2-3/16" (5.55 cm) x 3/4" (1.91 cm) Note: The 884 cannot print directly over the closure.

SERIES PF CLOSURE-LABELS



Front Printed by 883M Thermal Printer

Custom Printed Front



AUTOMATIC BAG CLOSURE-LABELS

Series P, PF & P-200

SERIES P, PF and **P-200** closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. It is available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

SERIES P for bag closing machines: 872XLS LM

SERIES PF for bag closing machines:087, 088, 865, 872XLS LM and 893
for the Closure (Auto)Printer-Separator898

SERIES P-200 for bag closing machines: 087, 088 and 865
for the Closure (Auto)Printer-Separator898
for Thermal Printer884



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 2,000/roll, 8 rolls per carton (0C-0203) 16M

Minimum Order: 48,000 (3 cartons)

Approximate Shipping Weight: 16M Pack: 30 Lbs (13.6 Kg)


Heavy Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,500/roll, 8 rolls per carton (0C-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approximate Shipping Weight: 12M Pack: 34 Lbs (15.4 Kg)



*Heavy duty plastic recommended for net bag openings.



AUTOMATIC BAG CLOSURE-LABELS

Series PFM & PM-200

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

SERIES PFM CLOSURE-LABELS



The label can be custom printed both sides. The closure is glued to the front of the label.

SERIES PM-200 CLOSURE-LABELS



Custom Printed Front

Back Printed by 884 Thermal Printer

Series PM-200 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled and can be used in one of the Automatic Bag Closing Machines or the 898 Closure-Printer Separator. The front of the label can be custom printed - this side of the label will face out, away from the package, towards the consumer.

884 PRINT AREA: 1-15/16" (4.92 cm) x 3/4" (1.91 cm). The 884 will not print on the material directly above the glued closure. When applied to the package the custom printed side (front) will face out, away from the package, towards the consumer.

SERIES PFM CLOSURE-LABELS



Custom Printed Back

Front Printed by 883M Thermal Printer



AUTOMATIC BAG CLOSURE-LABELS




Series PFM & PM-200

SERIES PFM and PM-200 closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 7/8" (2.22 cm) wide x 2-3/4" (6.99 cm) long

SERIES PFM for bag closing machines: 087, 088, 865 and 893
for the Closure (Auto)Printer-Separator898
SERIES PM-200 for bag closing machines: 087, 088 and 865
for the Closure (Auto)Printer-Separator898
for Thermal Printer884



Medium Duty:


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
Pink and Tan (Multi-colored packs are not available)
Packaged: 2,000/roll, 7 rolls per carton (0C-0203) 14M
Minimum Order: 42,000 (3 cartons)
Approximate Shipping Weight:14M Pack: 32 Lbs (14.5 Kg)

Heavy Duty:

Closure Colors available: **White**
(Multi-colored packs are not available)
Packaged: 1,500/roll, 7 rolls per carton (0C-0203) 10.5M
Minimum Order: 42,000 (4 cartons)
Approximate Shipping Weight:10.5M Pack: 32 Lbs (14.5 Kg)

Heavy DutyPlus:

Closure Colors available: **White**
Packaged: 1,250/roll, 7 rolls per carton (0C-0203) 8.75M
Minimum Order: 43,750 (5 cartons)
Approximate Shipping Weight:8.75M Pack: 30 Lbs (13.6 Kg)





AUTOMATIC BAG CLOSURE-LABELS

Series T, TF & T-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

SERIES T CLOSURE-LABELS



Series T closure-labels are designed to be used with Kwik Lok's 872XLS LM Automatic Bag Closing Machine. The label can be custom printed on both sides. The closure is glued to the back of the label.


SERIES TF CLOSURE-LABELS



Series TF closure-labels are designed to be used with Kwik Lok's 865, 872, & 893 Ultra Automatic Bag Closing Machines, the 087 & 088 Semiautomatic Machines and the 898 Closure-Printer Separator. The label is custom printed on both sides. The closure is glued to the front of the label.

SERIES T-220 CLOSURE-LABELS


THIS AREA PRINTED BY 884 THERMAL PRINTER



Custom printed front with lower portion of label back custom printed

SERIES TF CLOSURE LABEL

Custom printed front with upper portion of label back custom printed



THIS AREA PRINTED BY 883M THERMAL PRINTER

Series T-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in various Automatic and Semiautomatic Bag Closing Machines and the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.



AUTOMATIC BAG CLOSURE-LABELS

Series T, TF & T-220

SERIES T, TF and T-220 closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

SERIES T for bag closing machines: 872XLS LM

SERIES TF for bag closing machines:087, 088, 865, 872XLS LM and 893
for the Closure (Auto)Printer-Separator898

SERIES T-220 for bag closing machines: 087, 088 and 865
for the Closure (Auto)Printer-Separator898
for Thermal Printer884



MEDIUM DUTY CLOSURES
UP TO 5 LBS (2.3 Kg)
CONTENT WEIGHT

0.030"
(0.076 cm)



HEAVY DUTY CLOSURES
UP TO 10 LBS (4.5 Kg)
CONTENT WEIGHT

0.045"
(0.114 cm)

Medium Duty:

Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,500/roll, 8 rolls per carton (OC-0203) 12M

Minimum Order: 48,000 (4 cartons)

Approximate Shipping Weight:12M Pack: 45 Lbs (20.4 Kg)

Heavy Duty:


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**

..... **Pink and Tan** (Multi-colored packs are not available)

Packaged: 1,250/roll, 8 rolls per carton (OC-0203) 10M

Minimum Order: 50,000 (5 cartons)

Approximate Shipping Weight:10M Pack: 50 Lbs (22.7 Kg)



***Heavy duty plastic recommended for net bag openings.**



AUTOMATIC BAG CLOSURE-LABELS

Series TFM & TM-220

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



SERIES TFM CLOSURE-LABELS

Custom printed front with upper portion of label back custom printed

SERIES TFM CLOSURE-LABELS

Series TFM closure-labels are designed to be used with Kwik Lok's 865 Automatic and 087 Semiautomatic Bag Closing Machines, and the 898 Closure-Printer Separator. The label can be custom printed both sides. Closure glued to front of label.



THIS AREA PRINTED BY THE 883M PRINTER

THIS AREA PRINTED BY THE 884 THERMAL PRINTER



Custom Printed Front Lower portion of label custom printed

SERIES TM-220 CLOSURE-LABELS

Series TM-220 closure-labels are designed to be printed, by the customer, with the 884 Thermal Printer. After printing, the labels are recoiled twice and can be used in Automatic and Semiautomatic Bag Closing Machine, as well as the 898 Closure-Printer Separator. The front of the label will face out, away from the package, towards the consumer. A trigger mark is printed on the front to activate the 884 Printer.



AUTOMATIC BAG CLOSURE-LABELS

Series TFM & TM-220




SERIES TFM and TM-220 closure-labels can be printed on our standard C1S Tagboard (10 pt, white), or a synthetic label material. They are available with the closure openings noted at the bottom of the page.

SEE APPENDIX FOR ADDITIONAL CLOSURE-LABEL PRINTING INFORMATION.

Label Size..... 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long

SERIES TFM for bag closing machines:087, 088, 865 and 893
for the Closure (Auto)Printer-Separator898

SERIES TM-220 for bag closing machines:087, 088 and 865
for the Closure (Auto)Printer-Separator898
for Thermal Printer884



Medium Duty:


Closure Colors available: **Red, White, Blue, Orange, Yellow, Green,**
Pink and Tan (Multi-colored packs are not available)
Packaged: 1,500/roll, 7 rolls per carton (0C-0203) 10.5M
Minimum Order: 42,000 (4 cartons)
Approximate Shipping Weight:10.5M Pack: 45 Lbs (20.4 Kg)

Heavy Duty:

Closure Colors available:**Red, White and Blue**
(Multi-colored packs are not available)
Packaged: 1,250/roll, 7 rolls per carton (0C-0203) 8.75M
Minimum Order: 43,750 (5 cartons)
Approximate Shipping Weight:8.75M Pack: 40 Lbs (13.6 Kg)

Heavy Duty Plus:

Closure Colors available: **White**
Packaged: 1,000/roll, 7 rolls per carton (0C-0203) 7M
Minimum Order: 42,000 (6 cartons)
Approximate Shipping Weight:7M Pack: 35 Lbs (15.9 Kg)





APPENDIX

BAG CLOSURE-LABEL INFORMATION

Kwik Lok can provide complete design services. A design mock-up can be provided at no charge, along with a quotation of all costs. Mock-up can be sent to the customer as a PDF digital file via e-mail. Using electronic PDF files allows fast, easy communications during the design process. A hard copy proof can be furnished as soon as the customer has accepted the final design. Press Proofs can be provided and shipped to the customer. Contact the production plant for Press Proof costs.

Kwik Lok closure-labels are printed on offset lithography presses. Printing inks used are 4-color process; spot colors are limited to Pantone Matching System (PMS) colors. All spot colors must be identified by PMS Numbers. The company contracts printing to outside vendors. Press check by customers, or their agent(s) is permitted and must be pre-arranged. The person making the press check must be authorized to sign-off on the press sheet.

DIGITAL ARTWORK: Customers wishing to provide their own art should send files in digital form. Kwik Lok supports the following applications: Adobe Illustrator, Adobe Photoshop and Adobe InDesign. Artwork provided in other formats should be saved as an eps file. Linked files **MUST** be included and provided as esp or tiff files. Files can be furnished on disk or sent by e-mail.

All artwork designed by Kwik Lok will remain the property of Kwik Lok Corporation and held for the exclusive use of the customer as long as the files remain active. Files will be deemed inactive if, during a period of two years, the label(s) have not been ordered. Inactive files will be permanently removed from our servers.

LABEL MATERIALS: All Kwik Lok plants stock two basic label materials: Coated one side (C1S) paper tagboard, white, 10pt.; a synthetic material, white, 10 mil. The Yakima plant also has access to coated two-side tagboard, white, 10 pt.


Special materials: Generally we do not accept orders calling for specialty materials. All material must be pre-approved by Kwik Lok; samples of special materials must be provided for tests to test compatibility of materials with our production equipment.

COMBINING LABEL VARIETIES FOR PRICING: Label orders containing more than one label can be combined for pricing as long as the labels are printed with spot colors and ALL colors remain identical. 4-Color process labels can be combined for pricing as long as the colors remain the same and only the text changes. For example, the labels may go from "Granny Smith" to "Red Delicious" to "Golden".


Labels combined to obtain a lower unit price may be subject to one or more additional charges such as: Press changes, tooling changes, variety changes, etc.

FLOW DIRECTION: Some labels must be matched with the Kwik Lok machines that will be used to close the bag using the closure-label. Machines that are designated as RIGHT HAND or LEFT HAND can only use labels that are produced as RIGHT HAND or LEFT HAND labels. This information can be obtained from the Kwik Lok machine's serial number plate. The last letter of the MODEL NUMBER will be either R (right hand) or L (left hand). If there is any question, please provide us with the serial number(s) of the machines that will be used to close the bag with the closure-labels being ordered.

DETERMINE FLOW DIRECTION: 872, 873 & 893 AUTOMATIC MACHINES - ALSO 865 (HORIZONTAL PKGS.)



DETERMINE FLOW DIRECTION: 865 AUTOMATIC MACHINES (VERTICAL PACKAGES)





APPENDIX

BAG CLOSURE-LABEL INFORMATION


SERIES C COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #1




Copy Position #2



Copy Position #3

SERIES C CORNER SHAPES



All Four Corners
Square



All Four Corners
3/8" (0.95 cm) Radius



Top Two Corners: 11/16" (1.75 cm) Radius
Bottom Two Corners: 3/8" (0.96 cm) Radius
or
Top Two Corners Only: 11/16" (1.75 cm) Radius



APPENDIX

BAG CLOSURE-LABEL INFORMATION

SERIES T COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Two basic Copy Positions are possible as noted below. Closure is always glued on the corner of the label.

Copy positions apply to Series T, TF, TFM, T-220. RIGHT HAND SHOWN - LEFT HAND OPPOSITE.



Copy Position #1



Copy Position #2

SERIES T CORNER SHAPES

Also TF, T-220, TFM



Three Corners Rounded
3/8" (0.95 cm) Radius



Four Corners Square



APPENDIX

BAG CLOSURE-LABEL INFORMATION

SERIES U CORNER SHAPES

Also Series U-34



All Four Corners
3/8" (0.95 cm) Radius



All Four Corners
Square

SERIES U COPY POSITION

The Kwik Lok Closure can be glued to any side of the label. This closure-to-label positioning is called Copy Position. Three basic Copy Positions are possible as noted below.

Copy Position #2



Copy Position #3

Copy Position #1




APPENDIX

BAG CLOSURE-LABEL INFORMATION

CODE AREA Series CR, U & L

Kwik Lok's 086 Semiautomatic Bag Closing Machine can be purchased with a printer to print dates, prices, lot codes, etc. on the label as the bags are being closed by the machine. The code area must be kept free of copy and graphics. Code area is shown below.



Code Area Dimensions: 9/16" (1.43 cm) wide x
7/8" (2.22 cm) long, centered on label.


Note: The printer requires an absorbant surface. The front of the label (facing out towards the consumer) will be printed on the uncoated side of our standard C1S Tagboard.

SERIES C & CA


Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

FRONT OF LABEL



BACK OF LABEL



ALTERNATE CLOSURE POSITIONS




CORNERS CAN BE SQUARE OR ROUNDED



SERIES CJ: LEFT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long





ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).

SERIES CJ: RIGHT HAND


Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long



ALTERNATE CLOSURE POSITION
CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).

SERIES CFJ: LEFT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long




ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).

SERIES CFJ: RIGHT HAND

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long




ALTERNATE CLOSURE POSITION

CORNERS CAN BE SQUARE OR ROUNDED (3/8" [.95 cm] RADIUS).


SERIES CR

Label Size: 1-15/16" (4.92 cm) wide x 2-1/4" (5.72 cm) long

FRONT OF LABEL





BACK OF LABEL



NO INK AREA
.31" (.79 cm) X .69" (1.75 cm)



Bleed Area: 2.19" (5.56 cm) x 2.50" (6.35 cm)

ALTERNATE CLOSURE POSITIONS



Red Box is Copy Free Area
.44" (1.12 cm) x
1.00" (2.54 cm)

CORNER SHAPE OPTIONS



Series L

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



Alternate Code Area (uncoated side)
.56" (1.42 cm) x .88" (2.24 cm)

Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)


BACK OF LABEL



NO INK AREA
.31" (.79 cm) X .69" (1.75 cm)


Series M Left Hand

Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long




Series M Right Hand

Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long



Series MS


Label Size: 7/8" (2.24 cm) wide x 1-3/8" (3.50 cm) long



Series P Left Hand


Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)

BACK OF LABEL



NO INK AREA
.25" (.64 cm) X .69" (1.75 cm)

Series P Right Hand


Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL



Bleed Area: 1.13" (2.87 cm) x 3.00" (7.62 cm)

BACK OF LABEL




NO INK AREA
.25" (.64 cm) X .69" (1.75 cm)


Series PF Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




Series PF Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL



Series PFM Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




Series PFM Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL




Series PS

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long

FRONT OF LABEL




BACK OF LABEL



Series P-100

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The P-100 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the coated side of the label facing up. This is the side on which the 884 will print.

After the closure-labels are printed by the 884 Thermal Printer, they can be separated.

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the custom printed side of label require coated paper.

Series P-200 Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The P-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.


Series P-200 Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long



Series PM-200 Left Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The PM-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).

Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

Series PM-200 Right Hand

Label Size: 7/8" (2.24 cm) wide x 2-3/4" (6.99 cm) long




The PM-200 is designed to be run through Kwik Lok's 884 Thermal Printer. The roll (as it comes from the factory) will have the back of the label facing up. This is the side on which the 884 will print.

Upon exiting the 884 the printed labels will either be run through a separator for hand closing applications ... or recoiled for use in the 865 Automatic Bag Closing Machine. When recoiled and placed on the 865, the front of the label will be facing out, away from the package (the side that will be seen by the consumer).


Note: Kwik Lok's standard label material is a coated one-side tagboard ... the 884 MUST print on a coated side. Order coated two-side tagboard if the graphics on the front require coated paper.

SERIES T: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




FRONT OF LABEL




BACK OF LABEL

Bleed Area: 3.00" (7.62 cm) x 3.00" (7.62 cm)



ALTERNATE CLOSURE POSITION: FRONT





ALTERNATE CLOSURE POSITION: BACK

Corners can be Square or with 3/8" (.95 cm) Radius

SERIES T: RIGHT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




Corners can be Square or with 3/8" (.95 cm) Radius


SERIES TF: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long



ALTERNATE CLOSURE POSITION:




ALTERNATE CLOSURE POSITION: BACK

Corners can be Square or with 3/8" (.95 cm) Radius


SERIES TF: RIGHT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long


FRONT OF LABEL




BACK OF LABEL



Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long



ALTERNATE CLOSURE POSITION: FRONT




ALTERNATE CLOSURE POSITION: BACK


Corners can be Square or with 3/8" (.95 cm) Radius

SERIES TFM: LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




Bleed Area: 3.00" (7.62 cm) wide x 3.00" (7.62 cm) long



Corners can be Square or with 3/8" (.95 cm) Radius

SERIES TFM: RIGHT HAND


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



Corners can be Square or with 3/8" (.95 cm) Radius

SERIES T-210: RIGHT HAND (ONLY)

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



ALTERNATE CLOSURE POSITION

Corners can be Square or with 3/8" (.95 cm) Radius

Kwik Lok®

"SNAP ON"
TAGS




©2019 KWIK LOK CORPORATION - ALL RIGHTS RESERVED

Kwik Lok® and Striplok® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.


SERIES T-220: Left Hand

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



SERIES T-220: Right Hand

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long




ALTERNATE CLOSURE POSITION: FRONT

Corners can be Square or with 3/8" (.95 cm) Radius


SERIES TM-220 LEFT HAND

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



SERIES TM-220: RIGHT HAND


Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



SERIES U

Label Size: 2-3/4" (6.99 cm) wide x 2-3/4" (6.99 cm) long



FRONT OF LABEL



Copy Position #2


Bleed Area: 3.00" (7.62 cm) x 3.00" (7.62 cm)

BACK OF LABEL



Copy Position #3

ALTERNATE CLOSURE LOCATIONS




Copy Position #1

Corners can be Square or with 3/8" (.95 cm) Radius




APPENDIX

63-DJ AND 64-DV DISPENSER




The **63-DJ and 64-DV Dispensers** are inexpensive, portable, “table-top” models constructed of ABS plastic. With no moving parts the units are virtually maintenance free and extremely simple to use.

GP-1



63-DJ uses the DJ Closure.

GP-1



64-DV uses the DV Closure.

DISPENSER SPECIFICATIONS



Size: 9” (22.86 cm) wide x 10-3/4” (27.31 cm) long x 4-1/4” (10.80 cm) high
Material: ABS Plastic
Approximate Shipping Weight: (2 per carton).....4 Lbs (1.8 Kg.)




APPENDIX

68-DJ AND 69-DV ISLAND DISPENSER

The **68-DJ and 69-DV Dispensers** are models designed to sit under roll stock in the produce department.



68-DJ uses the DJ Closure.






69-DV uses the DV Closure.



APPENDIX

70-DJ AND 71-DV VALANCE DISPENSER

The **70-DJ and 71-DV Dispensers** are designed to be attached to the valance in the produce department. It can be attached on the face or on the top of the valance.



GP-1



70-DJ uses the DJ Closure.

GP-1



71-DV uses the DV Closure.



APPENDIX

72 BULK DISPENSER CUP



The **72 Dispenser** allows closures or closure-labels to be placed loose in the 72 'Cup' Dispenser.

The 72 Dispenser uses any of the following:

- A and F Closures
- A-M Closures
- AA, AB and FA Closures
- CB-2 Closure-Labels
- MS-B2 Closure-Labels
- PS-B2 Closure-Labels






ILLUSTRATION H (TOP OF ROLL BAG)





APPENDIX

76A AND 76B DISPENSERS

The **76A Valance Dispenser** can be directly attached to the valance in the produce department.



The **76B Island Dispenser** can be attached to the roll stock stand with one of two brackets listed below.



The **76A and 76B Dispensers** use “C” and CB-2 Closure Labels




Series CB-2




APPENDIX

76A AND 76B DISPENSERS



The **76B Valance Dispenser** can be mounted in the produce department three different ways, shown below.

76B-VALANCE INSTALLATIONS





APPENDIX

814 PRODUCE DISPENSER KIT

The **Type 814 Dispenser** is constructed of virtually unbreakable ABS plastic. They can be mounted to any flat, clean surface using double-sided tape (provided).

The 814 can be used with any of the following:

- AA Closures
- AB Closures
- AD Closures
- CA Closure-Label
- CB-2R Closure Label



814 Kwik Lok Dispenser

814B w/826 ADAPTER BRACKET SET

The **826 Adapter Bracket Set** permits the 814 Dispenser to be installed on existing roll bag mounts. Two or four bolts (depending on roll bag mount) quickly secures the adapter bracket to the mount. Two self-tapping screws attach the dispenser to the brackets.



861 ADAPTER BRACKET SET


The **861 Adapter Bracket Set** permits the 814 Dispenser to be mounted on Island Bag Stands.

The 861 fits stands with a 3/4" O.D. (1.9 cm) pipe; the 861-B fits stands with a 7/8" (2.22 cm) pipe.



APPENDIX


814 PRODUCE DISPENSER KIT



814B w/075 VALANCE MT BRACKET-FACE

The **074 (top)** and **075 (face)** Valance Brackets allow the 814 Dispenser to be directly mounted to the top or face of the valance above the produce.

074 and 075 VALANCE INSTALLATIONS





APPENDIX BAG SIZING

Kwik Lok Corporation assumes no responsibility regarding the suitability of the bags for their intended application. To avoid costly errors, it is recommended that the bag sizes be carefully selected and the initial orders kept to the minimum quantity pending confirmation of acceptable operation and finished package appearance.

To assist you in the selection of bags, the following information is offered:



BAG WIDTH:

Add the width of product + the height of product + 1/2" (12.7mm).

BAG LENGTH FORMULAS:

To determine the proper bag length for a consistently shaped product (e.g. Bread, Bun Clusters, Trays, English Muffins, etc.) follow this formula:

**TOTAL BAG LENGTH = PRODUCT LENGTH + 1/2 DIAGONAL LENGTH OF THE PACKAGE END
+ 4 INCHES (101.6MM) (Not including the wicket lip)**



To determine the proper bag length for a loose bulk product (i.e. Oranges, Potatoes, Sugar, Ice, Macaroni, etc) follow this procedure.

1. Fill bag to desired weight using samples of the product.
2. Close bag with the proper Kwik Lok® Closure.
3. Check the length of the bag above the closure. The proper bag length would allow 4 inches (101.6mm) above the closure (not including the wicket lip.)

NOTE: Normal variations in size and density of products will occur. Oranges, grapefruit, and potatoes will dehydrate as the season progresses; bakery products vary due to over proofing, and density of ice will change because of certain manufacturing techniques. Therefore these bag length formulas take into account these variations to give maximum automatic bag closing dependability.

BAG GUSSETT:

The bag gussett is 1/2 of the product height.

BAG THICKNESS:

The thickness of the bag is dictated by several factors. The type and weight of the product is a consideration as well as the quality of the final product as determined by the customer. Thickness ranges are as follows (but not limited to):

- Bakery: 0.75 to 2.0 mil (19.05 to 50.8 micron)
- Produce: 1.0 to 2.5 mil (25.4 to 63.5 micron)
- Bulk Produce: 2.0 to 4.0 mil (50.8 to 101.6 micron)
- Ice: 1.25 to 2.25 mil (31.75 to 57.15 micron)
- General packaging: 0.5 to 3.5 mil (12.7 to 88.9 micron)

APPENDIX

BAG SIZING (WICKET)

WICKET:

While the number of bags on a wicket can vary, it is preferable to wicket no more than 500 bags at one time. This ensures easier loading, avoids the lumping resulting from the four layers of bag at the gusset section of the bags. For some thicker film bags, the maximum number of bags per wicket will be lower. The film should be free to slide up the wicket as bags are depleted. Special attention should be made as to how the bags are loaded on the wicket.

WICKET DETAIL




FIGURE 1: WICKET SIZE FOR 5" WICKET




FIGURE 2: BAG SPECIFICATION FOR 5" WICKET




FIGURE 3: DETAIL 'A' (optional construction for wicket holes)



APPENDIX

BAG SIZING: LOK OPENING SIZE

The purpose of this article is to provide an aid in the selection of a closure opening for a particular size and type of bag. This article contains a chart that places similar sized openings into groups, and two charts that are used to determine which group a bag fits into. There is also a listing of bag types with generalized notes on closure opening recommendations.

Note: Polyethylene bags differ depending on what agents are added to the resin and what coatings/printing are applied. These variables can impact the ability of the Closer to pack a bag into what would appear to be the proper opening. Due to the potential inaccuracies of the charts, methods of closing and bag variables, this article is only an aid in determining closure opening selection. Official bag sizing recommendations must originate from Kwik Lok Yakima.

Chart 1: All of the available openings are placed in order, beginning with the smallest on the left and ending with the largest on the right. The order of arrangement is determined by the lok opening size. The majority of the openings are placed into groups. Charts 2 and 3 refer back to these Groups.

Chart 2: Use this chart for sizing small to medium sized polyethylene type bags. As an example: A bag with a width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C. From Chart 1, select the opening from Group C depending on the method of application. Opening #1 for hand applied, Opening GP-3 for Semiautomatic closing and Opening TGR-3 for Automatic closing.

Chart 3: Use this chart for sizing heavy mil and wide polyethylene type bags. See Chart 2 paragraph above for usage information.

Bag Type: General Information

CLAF (Full): Generally closed with a KM-NRP or Z-NRP TGR opening.

CLAF (Partial): This type of bag is of CLAF material with an all polyethylene top. Use Charts 2 and 3. However, the closure opening will not accommodate the CLAF material that can occur if attempting to close a tight package.

Drawstring: (Example: Leno onion bag) Three net openings (N-0, N-0/1 and N-1) are used to close drawstrings depending on size of string and available opening in a chosen series. See 'Mesh' below.

Foil: (Example: Bread Bag) Use Charts 2 and 3. Increase the opening size recommendation by one group.

Leno: This rather stiff mesh material requires a large opening. Generally a Z-NRP #6 is used.

Mesh: (Example: soft knitted net potato bag) Generally closed with a K-NRP or KM-NRP TGR type opening. Note: When replacing a drawstring with a closure, it is not recommended that the length of the bag needs to be increased so that there is enough bag top for the Closer to work with.

Paper: (Paper-poly combo): (Example: Bread Bag) Generally a KW-NRP R5B closure is recommended, and in some cases the KM-NRP TGR-6 is utilized.

Polyethylene: (Example: Standard U.S. bread bags) Use Charts 2 and 3.

Polyethylene w/anti (low)-slip agent: (Example: 20 Lb carrot bag) Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer.

Polyethylene for ice bags (or other cold room environments): Use Charts 2 and 3. Increase the opening size recommendation by one group if sizing for an automatic closer. It is not mandatory, but recommended, to use an opening without side-teeth (Example: Instead of a TGR-5 use a #3 opening).

Polyethylene Master: (Example: Twin-packed bread bag) Typically a KM-NRP TGR-6 or a Z-NRP TG-7 closure is used to close the outer bag of a multiple bread loaf package. The large opening size is used to accommodate up to all bag necks, which includes the inner bags.


Polypropylene: (Example: Bag produced by a Vertical Form and Fill Machine) Use Charts 2 and 3. Increase the opening size recommended closure by two groups. A bag width of 12 inches (30.5 cm) x 1.5 mil (38.1 microns) falls into Group C (TGR-3), but the recommended closure opening is increased to Group E (TGR-5).

Vexar/Extruded Net: These bags are closed with any of the N-style openings. It is best to select the tightest opening possible. It is also recommended that, in most cases, heavy duty plastic be specified.




APPENDIX CHART 1

Volume of Closure Openings
Chart 1






APPENDIX CHART 2





APPENDIX CHART 3



LOK OPENING SIZE FOR POLYETHYLENE BAGS
CHART 3



APPENDIX

SHIPPING CARTON DIMENSIONS

CARTON #	APPROXIMATE OUTSIDE DIMENSIONS (Length x Width x Height)	VOLUME	CARTONS PER PALLET
0C-0004	15" x 9-1/8" x 19-3/8" (38.1 cm x 23.2 cm x 49.2 cm)	1.53 cu. ft. (0.043 m ³)	36
0C-0005	4-7/8" x 3-5/8" x 24-5/8" (12.4 cm x 9.2 cm x 62.5 cm)	0.25 cu. ft. (0.007 m ³)	*
0C-0006	4-7/8" x 3-1/2" x 19-5/8" (12.4 cm x 8.9 cm x 49.8 cm)	0.19 cu. ft. (0.005 m ³)	100
0C-0007	13-1/4" x 11-1/2" x 23-5/8" (33.7 cm x 29.2 cm x 60 cm)	2.08 cu. ft. (0.059 m ³)	27
0C-0129	15" x 15" x 6-7/8" (38.1 cm x 38.1 cm x 17.5 cm)	0.90 cu. ft. (0.025 m ³)	72
0C-0203	13-5/8" x 13-5/8" x 28-3/4" (34.6 cm x 34.6 cm x 73 cm)	3.09 cu. ft. (0.087 m ³)	27
0C-0233	7-1/2" x 4-1/8" x 12-1/2" (19.1 cm x 10.5 cm x 31.8 cm)	0.22 cu. ft. (0.006 m ³)	*
0C-0522	14-7/8" x 14-7/8" x 15-1/4" (37.8 cm x 37.8 cm x 38.7 cm)	1.95 cu. ft. (0.055 m ³)	36
0C-0719	13" x 12-1/8" x 7" (33 cm x 30.8 cm x 17.8 cm)	0.64 cu. ft. (0.018 m ³)	*
0C-0733	10-1/8" x 10-1/8" x 10-3/8" (25.7 cm x 25.7 cm x 26.4 cm)	0.62 cu. ft. (0.017 m ³)	80
0C-0906	15-5/8" x 8-1/8" x 5-7/8" (39.7 cm x 20.6 cm x 14.9 cm)	0.43 cu. ft. (0.012 m ³)	120
0C-1983C	14-1/4" x 14-1/4" x 11-3/8" (36.2 cm x 36.2 cm x 28.9 cm)	1.34 cu. ft. (0.038 m ³)	45

*Carton not used at this time.

©2019 KWIK LOK CORPORATION - ALL RIGHTS RESERVED
Kwik Lok® and Striplok® are Trademarks of Kwik Lok Corporation. The shape of the closure is protected by trademark registrations in many countries around the world.



APPENDIX

TERMS AND CONDITIONS

TERMS: All Kwik Lok Products are sold Ex Works. Terms available on approved credit are net cash 30 days. Custom printed closure-labels, automatic equipment and large volume orders may require payment in advance

CLOSURE WARRANTY: Closures are warranted to be free of manufacturing defects. Closures are guaranteed to be usable for one-year after manufacturing date. Closure-label warranty is void if closure-labels are stored at temperatures below 32°F (0°C) or over 100°F (37.8°C). We do not suggest closure-labels be stored in metal sheds or buildings that are not adequately protected from heat.

RETURN POLICY FOR CLOSURES AND CLOSURE-LABELS:

Kwik Lok Corporation understands that sometimes products do not fit the needs of our customers for one reason or another. Therefore, when requesting to return products, we ask that you follow the steps outlined below.

1. Before you return products:

Most product issues can be resolved by contacting a Kwik Lok Customer Service Representative. Credit will be issued for acceptable product returns. In this event you will need to receive pre-approval and obtain a valid Return Material Authorization (RMA). The RMA number must be issued from the facility that the closures/closure-labels were originally invoiced from.

- No returns will be accepted without a valid RMA.
- Return Material Authorizations are valid for 30 days.

2. Acceptable product returns:

- Products must be returned in resalable condition.
- All products must be in original Kwik Lok cartons.
- No damaged, partial or open cartons will be accepted.
- All shipping documents, correspondence, Bill of Lading and cartons should include the RMA number.
- No custom orders, such as pre-printed labels, are refundable other than for reasons of defects.
- Unless otherwise stated, all returns or exchanges must be shipped prepaid.

3. Restocking fees and rejected returns:

- All product returns for reasons other than order processing errors or production defects are subject to a 15% restocking fee.
- Kwik Lok reserves the right to refuse return shipment of damaged product.
- Products arriving at any Kwik Lok factory without pre-approval and an RMA number will be refused and returned to shipper.



Kwik Lok® Ltd.

176 Sheldon Drive, Cambridge, Ontario, Canada N1R 7K1

1-888-KWIKLOK (1-888-594-5565) Internet: www.kwiklok.com